



Scrubber 50 Pro / Sprayer Al-Powered Robotic Floor Scrubber



SMART AND FLEXIBLE

## **Unprecedented efficiency** and flexibility

Scrubber 50 Pro offers the most diversified path planning modes to deliver the highest degree of flexibility in cleaning plan customization. Its groundbreaking Auto Spot Cleaning mode allows it to detect and remove the stains right off before they're spread all over the floor, and brings up to 4-time efficiency improvement by cleaning only when necessary.

- •Groundbreaking Auto Spot Cleaning
- •Simultaneous floor cleaning and atomizing disinfection
- •Up to 1,800 m<sup>2</sup>/h cleaning efficiency

CLEANING MADE EFFORTLESS

## **Simplify your work process**

Scrubber 50 Pro will make cleaning much easier with little need for human interference. It perceives environmental changes, updates the map and reroutes itself in real time – you don't need to stand by to save it from getting lost or stuck. With the optional workstation, the robot can perform automatic power charging and water refill by itself. It also offers remote access via Gausium mobile app that enables you to monitor and control your cleaning task from anywhere.

- •Smart obstacle avoidance and rerouting
- •Remote-control mobile app
- One-stop service workstation

**BUILT TO LAST** 

## **Meet your sustainable** development goals

Scrubber 50 Pro is made of enduring, easy-torecycle materials. It adopts LFP batteries with a long lifespan of 2,000 cycles. Equipped with a water recycling filtration system, Scrubber 50 Pro reduces around 80% freshwater usage. The Auto Spot Cleaning mode also ensures the most efficient operation path to curtail water and energy consumption.

- Durable LFP batteries of 2,000 cycles
- •Ultra-long atomizer lifespan of 5,000 hours
- Built-in water-saving filtration system

### **Key Features:**

#### $\rightarrow$ 4 in 1

Integrating scrubbing, sweeping, dust mopping and sanitizing (optional sprayer kit)

# O Ergonomic Manual Mode

Easy manual operation - effortlessly walking and steering the machine with the ergonomic handle

# **5-stage Filtration**System

Recycling water and reducing ~80% of freshwater consumption

## mi Superb Productivity

Up to 1,800 m<sup>2</sup>/h cleaning efficiency with disc brush and 1,512 m<sup>2</sup>/h with roller brush

### **Minimal Human Intervention**

Optional workstation for selfdocking power charging, water refill and discharge

### Auto Spot Cleaning

Scanning the cleanliness of the nearby floor and autonomously performing spot cleaning where waste or stains are detected, bringing up to 4X efficiency improvement and significantly reducing energy consumption

## **Superb performance in** a broad range of applications:

Shopping centers | Supermarkets | Transportation hubs Office buildings | Hotels | Hospitals | Schools | Sports hall | etc.











Natural

Artificial Marble / Ceramic Granite

**PVC & Vinyl** 





Concrete

#### **SPECIFICATION**

DIMENSION	DISC BRUSH	ROLLER BRUSH
Length	860mm   33 in	860mm   33 in
Width	700 mm   27 in	700 mm   27 in
Height	1,030 mm   40 in	1,030 mm   40 in
Unladen Weight	150kg   330 lb	140 kg   308 lb
Scrubbing Width	500 mm   20 in	420 mm   16.5 in
Squeegee Width	700 mm   27.6 in	700 mm   27.6 in
CLEANING	DISC BRUSH	ROLLER BRUSH
Max. Theoretical Productivity	1,800 m²/h   19,375 ft²/h	1,512 m <sup>2</sup> /h   16,275 ft <sup>2</sup> /h
Brush Pressure	25 kg   55 lb	18.3 kg   40.3 lb
Clean Water Tank	24 L   6.3 gal	24 L   6.3 gal
Recovered Water Tank	18 L   4.8 gal	18 L   4.8 gal
Trash Tray	/	2*0.6 L   2* 0.16 gal
MOVEMENT	DISC BRUSH	ROLLER BRUSH
Gradeability	4.6°	4.6°
Max. Moving Speed	1 m/s   2 mph	1 m/s   2 mph
Min. Distance from Wall	50-100 mm   2-4 in	50-100 mm   2-4 in
Min. Passable Width (Auto)	930 mm   36.6 in	930 mm   36.6 in
Min. Turn-around Width (Auto)	1,200 mm   47 in	1,200 mm   47 in
ELECTRICAL	DISC BRUSHSIUM	ROLLER BRUSH
Battery Type	Lithium Iron Phosphate	Lithium Iron Phosphate
Battery Capacity	60 Ah	60 Ah
Rated Voltage	24 VDC	24 VDC
Max. Output Power	1,200 W   1.6 hp	1,200 W   1.6 hp
Charging Time (60 Ab)	20 hours	
Charging Time (60 Ah)	≈ 2.0 hours	≈2.0 hours
Uptime (60 Ah)	≈ 2.0 flours	≈2.0 hours ≈3-6 hours
Uptime (60 Ah)		≈3-6 hours
Uptime (60 Ah) SENSING	≈3-8 hours	≈3-6 hours D ToF Camera, etc.
Uptime (60 Ah) SENSING Standard	≈3-8 hours  2D LiDAR, 3D Depth Camera, 3l	≈3-6 hours D ToF Camera, etc.
Uptime (60 Ah) SENSING Standard Optional	≈3-8 hours  2D LiDAR, 3D Depth Camera, 3l	≈3-6 hours D ToF Camera, etc.
Uptime (60 Ah) SENSING Standard Optional SANITIZING	≈3-8 hours  2D LiDAR, 3D Depth Camera, 3l  RGB Camera, Anti-drop Sensor	≈3-6 hours D ToF Camera, etc.
Uptime (60 Ah) SENSING Standard Optional SANITIZING Atomized Particle	≈3-8 hours  2D LiDAR, 3D Depth Camera, 3l  RGB Camera, Anti-drop Sensor	≈3-6 hours D ToF Camera, etc.
Uptime (60 Ah)  SENSING  Standard  Optional  SANITIZING  Atomized Particle  Nozzle Number	≈3-8 hours  2D LiDAR, 3D Depth Camera, 3l  RGB Camera, Anti-drop Sensor  1-5 micron  2	≈3-6 hours D ToF Camera, etc.